



Worklamp Universal applications

Plastic body & lens. 55 Watt max. Features a handle.
Overall Dimensions : 155mm (L) x 160mm (H) x 85mm (D)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992000	Floodlamp	12v	R/LH	T1 Rear	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



Worklamp Universal applications

Plastic body, glass lens & plastic grill. 70 Watt max.
Overall Dimensions : 155mm (L) x 175mm (H) x 80mm (D)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992001	Floodlamp	24v	R/LH	T1 Rear	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



Worklamp Universal applications

Glass lens with optional body & grill material. 70 Watt max. Features a handle and a rotary switch.
Overall Dimensions : 145mm (Dia) x 75mm (D)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992002	Floodlamp: Plastic body & grill	12-24v	R/LH	T1 Rear	-
9992003	Spotlamp: Plastic body & grill	12-24v	R/LH	T1 Rear	-
9992005	Floodlamp: Metal body & grill	12-24v	R/LH	T1 Rear	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



Worklamp Universal applications

Plastic body & lens. 70 Watt max. Features a handle and a waterproof rocker switch. Supplied without bulb.
Overall Dimensions : 65mm (Dia) x 110mm (D)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992004	Floodlamp	n/a	R/LH	T1 Rear	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-

Worklamp *Universal applications*

A lead, crocodile clips and cigarette lighter plug are all included. Low voltage inspection lamp.
Overall Dimensions : 90mm (Dia)



Plug T1

Plug T2

N/A

N/A

Part No.	Description	Volt	Side	Plug	Spare Lens
9992009	Inspection Lamp	12v	R/LH	T1 Rear	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-

Worklamp *Universal applications*

70 Watt max. Features a handle, halogen bulb(s), magnetic mounting, on/ off switch and a cigarette lighter plug.
Overall Dimensions : 153mm (L) x 185mm (H) x 95mm (D)



Plug T1

Plug T2

N/A

N/A

Part No.	Description	Volt	Side	Plug	Spare Lens
9992040	Micro Worklamp: Twin bulb	24v	R/LH	T1 Rear	-
9992079	Micro Worklamp: Single bulb	-	R/LH	T1 Rear	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-

Worklamp *Suitable for fork lift truck applications*

55 Watt max. Impact, heat and vibration resistant.
Overall Dimensions : 144mm (L) x 112mm (H) x 70mm (D)



Plug T1

Plug T2



No Other Plug Types Available

Part No.	Description	Volt	Side	Plug	Spare Lens
9992041	Fork Lift Worklamp: Vertical mount	12v	R/LH	T1 Rear	-
9992042	Fork Lift Worklamp: Horizontal mount	12v	R/LH	T1 Rear	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-

Worklamp *Universal applications*

Impact resistant rubber housing with glass lens. 70 Watt max. Ideal for heavy plant and 5th wheel applications.
Overall Dimensions : 125mm (Dia) x 75mm (D)



Plug T1

Plug T2



No Other Plug Types Available

Part No.	Description	Volt	Side	Plug	Spare Lens
9992043	Worklamp	24v	R/LH	T1 Rear	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



Worklamp *Universal applications*

Impact resistant rubber housing with glass lens. 70 Watt max. Ideal for heavy plant and 5th wheel applications.
Overall Dimensions : 155mm (Dia) x 111mm (D)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992044	Worklamp	24v	R/LH	T1 Rear	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



Worklamp *Universal applications*

Twin beam searchlight. Main beam: 5 Watt max. Secondary beam: 5 Watt max. Features a handle. Dual recharge AC/DC charger or 12v DC car plug, (Included).
Overall Dimensions : 130mm (Dia)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992045	Searchlamp	6v	n/a	Charger	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



Worklamp *Universal applications*

4 Watt max. Features a handle and an adjustable stand for hands free use.
Overall Dimensions : 85mm (Dia)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992049	Torch	6v	n/a	n/a	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



Worklamp *Universal applications*

Plastic body & glass lens. 70 Watt max.
Overall Dimensions : 100mm x (L) x 100mm (H) x 90mm (D)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992053	Worklamp	6-24v	R/LH	T1 Base	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-

Worklamp *Universal applications*

Plastic body, glass lens & metal grill. 55 Watt max. Features a handle and a rotary switch. Cable entry through mounting spigot.
Overall Dimensions : 150mm (Dia)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992054	Floodlamp	12v	R/LH	T1 Spigot	-
9992055	Floodlamp	24v	R/LH	T1 Spigot	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



Plug T1

Plug T2



No Other Plug Types Available

Worklamp *Universal applications*

Plastic body & glass lens. Features a rotary switch.
Overall Dimensions : 105mm (L) x 175mm (H) x 91mm (D)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992058	Worklamp	6-24v	R/LH	T1 Rear	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



Plug T1

Plug T2



No Other Plug Types Available

Worklamp *Universal applications*

Plastic body & glass lens. Features a handle, rotary switch and a cigarette lighter plug.
Overall Dimensions : 100mm (L) x 100mm (H) x 85mm (D)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992060	Hand Worklamp	-	n/a	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



Plug T1

Plug T2

N/A

N/A

LED Worklamp *Universal applications*

Weatherproof and virtually unbreakable polycarbonate construction. The lamp has 2 settings: 450 LUX, 1000 LUX. 6 Hour battery life. AC mains Charger supplied. Features an integral hook and belt clip.
Overall Dimensions : 275mm (L) x 41mm (Dia)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992064	26 LED Inspection Lamp	3.6v	n/a	Charger	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



Plug T1

Plug T2

N/A

N/A



Plug T1



Plug T2

No Other Plug Types Available

Worklamp *Universal applications*

Plastic body & glass lens.
Overall Dimensions : 100mm (L) x 170mm (H) x 80mm (D)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992066	Worklamp	n/a	R/LH	T1 Rear	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-

Plug T1

N/A

Plug T2

N/A

LED Worklamp *Universal applications*



Weatherproof and virtually unbreakable polycarbonate construction. 650 LUX at 0.5m. Contains 15 high intensity class 1 approved LED's. 6 Hour battery life. AC mains charger supplied. On/ Off switch. Cordless and compact. Features a belt clip.
Overall Dimensions : 185mm (L) x 55mm (H) x 35mm (D)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992067	15 LED Inspection Lamp	3.6v	n/a	Charger	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



Plug T1



Plug T2

No Other Plug Types Available

Worklamp *Universal applications*

Impact and heat resistant polycarbonate housing. Ideal for both 12v and 24v vehicles. 12v: 55 Watt max, H3. 24v: 70 Watt max, H3. This lamp can rotate through 360° and angled through 90°.
Overall Dimensions : 155mm (L) x 98mm (H) x 93mm (D)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992068	Floodlamp	12-24v	R/LH	T1 Rear	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



Plug T1



Plug T2

No Other Plug Types Available

Worklamp *Universal applications*

Plastic body & glass lens. Worklamp with 2 parabols. Trapezoid beam. Features a pivoting mounting bracket and 2x H3 bulbs. Supplied with a short length of 3 core cable. Developed for use in the most demanding lighting conditions of heavy duty industry. The high quality optics support your vehicles in their productivity and safety. Vibration, moisture, dust and shock will not decrease the visibility.
Overall Dimensions : 140mm (L) x 95mm (H) x 85mm (D)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992070	Worklamp	12v	R/LH	T1 Rear	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-

Worklamp Universal applications

Glass fibre reinforced plastic housing & hardened glass lens. Extreme shock and vibration resistance. D1S 35 Watt max xenon lamp (5000 Hour). Each lamp features either a wide or a narrow light beam spread. Part numbers 9992071 & 9992072 feature a separate ballast unit, (See image). Part numbers 9992073 & 9992074 incorporate their ballast within the lamp housing. Rated current: 12v = 3.6A, 24v = 1.7A.

Overall Dimensions : 159mm (L) x 100mm (H) 132mm (D)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992071	Floodlamp: Wide + Seperate ballast	12-24v	R/LH	T1 Rear	-
9992072	Floodlamp: Narrow + Seperate ballast	12-24v	R/LH	T1 Rear	-
9992073	Floodlamp: Wide with built in ballast	12-24v	R/LH	T1 Rear	-
9992074	Floodlamp: Narrow with built in ballast	12-24v	R/LH	T1 Rear	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



Plug T1

Plug T2

No Other Plug Types Available

LED Worklamp Universal applications

Rechargeable & cordless. Tough, robust design for demanding conditions. Weatherproof for outdoor use. Includes charging station & detachable, spring mounted, hands free clamp. Virtually unbreakable polycarbonate lens. Contains 28 high intensity LED's. Precise beam pattern for detailed work. Light output: 950 LUX, battery 7.2v: 1300mAh NiMH, mains adapter: input 230-50Hz, output 12v-500mA. Operating time: 7 hours. Charging time: 5 hours.

Overall Dimensions :

Part No.	Description	Volt	Side	Plug	Spare Lens
9992075	28 LED Inspection Torch	12v	n/a	Charger	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



Plug T1

Plug T2

N/A

N/A

LED Worklamp Universal applications

6 High brightness 3 Watt Led's. Ideal for high light output when minimum voltage is required. Durable aluminium housing with a polycarbonate lens and an ABS adjustable visor. Includes a length of 2 core cable fitted into the rear.

Overall Dimensions : 130mm (L) x 158mm (H) x 86mm (D)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992078	6 LED Worklamp: Flood type	24v	R/LH	T1 Rear	-
9992080	6 LED Worklamp: Flood type	12v	R/LH	T1 Rear	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-




Plug T1

Plug T2

2 Core Cable No Plug

No Other Plug Types Available

LED Worklamp Universal applications



Metal body & glass lens. Features a rear switch and approx 220mm flex/cable including rubber grommet and 2 pin superseal connector.

Overall Dimensions : 130mm (Dia) x 50mm (D)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992081	12 LED Worklamp	12-24v	R/LH	T1 Rear	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-




Plug T1

Plug T2

2 Pin Superseal Connector

No Other Plug Types Available




LED Worklamp *Universal applications*

The intense constant white light from the 36 LED heads outputs an extremely bright 545 Candelas (max). Available as both surface and bracket mount this compact (measuring 72mm x 72mm) LED worklamp will fit onto the smallest surfaces, perfect for mounting on many different vehicles from CV and recovery vehicles to refuse trucks and material handling.

Overall Dimensions : 72mm (l) x 72mm (H) x 38mm (D)

Part No.	Description	Volt	Side	Plug	Spare Lens
9992088	36 LED Worklamp	12-24v	R/LH	T1 Rear	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-




LED Worklamp *Universal applications*

The 9992089 worklamp is waterproof sea/salt spray resistant, and has a durable powder coated aluminium housing, stainless steel fittings, and high impact polycarbonate lens. Powered by high brightness 120 x 1 watt LED's. Supplied with 1m sheathed hard wired cable.

Illuminance: @1 metre - 4630lx.
Current: @13.8Volts 1.00Amps - @28Volts 0.48Amps

Overall Dimensions : 208mm (L) x 110mm (H) x 86mm (D)


Part No.	Description	Volt	Side	Plug	Spare Lens
9992089	8 LED Adjustable Worklamp	12-24v	R/LH	T1 End	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



LED Worklamp *Universal applications*

-

Part No.	Description	Volt	Side	Plug	Spare Lens
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



LED Worklamp *Universal applications*

-

Part No.	Description	Volt	Side	Plug	Spare Lens
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-